



45K



EM3



MAX

Wall Mounted

MAX is a maintained emergency exit luminaire, with an attractive slimline steel housing with screen printed, providing a “minimalist” appearance with a viewing distance of up to 25m.

- Colour temperature: 4500°k.
- Colour Finish: White as standard, Silver/grey available on request.
- ISO and EC legend panels available.
- Up to 25m viewing Distances.
- Emergency options: Standard 3hr, Self-Test or DALI addressable.

Technical

Product	MAX
Mounting type	Wall Mounted
Standard Sizes	315mm
Colour Temperature	Neutral White (45k)
Legend	Up Arrow
	Down Arrow
	Right Arrow
	Left Arrow
Emergency	3 hour, DALI, Self-Test
Rendering	Ra80+
IP Rating	IP20
Safety Class	Class 1
MacAdam	SDCM 2
Lifetime	>50K


Luminaire Order Builder

MAX

STEP 1. Select Operation	STEP 2. Legend sign	STEP 3. CCT	STEP 4. Finish	STEP 5. Emergency
M Maintained 3.1W	AL Exit sign left ISO Format AR Exit sign right ISO Format AU Exit sign up ISO Format AD Exit sign down ISO Format LA Exit sign left EC Format RA Exit sign right EC Format UA Exit sign up EC Format DA Exit sign down EC Format	45K 4500K	W White S Silver	E3 Standard 3 Hour ED DALI/EMPRO ES Self-Test

All electrical and optical data subject to $\pm 10\%$ tolerances.

Example Code: MAXMAL45KFOWE3








Dimensions

L	W	H	RAL	Code	Colour Swatch
315	190	30	White	W	
			Silver	S	

All dimensions are measured in millimetres (mm)

Finish

Exit Legends

ISO7010 Legends	Legend	Code	European (EC)	Legend	Code
	ISO Left Arrow	AL		EC Left Arrow	LA
	ISO Right Arrow	AR		EC Right Arrow	RA
	ISO Up Arrow	AU		EC Arrow Up	UA
	ISO Down Arrow	AD		EC Arrow Down	DA

IP20 IP20
Protection of fingers against access to hazardous parts, and protection against objects larger than 12.5mm



Safety Class
Class 1 Safety chassis is connected to earth with a separate terminal, instead of via the mains cable



Warranty
5 year Guarantee